



**Inventory number: 20436**

**Internal grinding machine  
VOUMARD 5 AR**




### Technical data

Max. internal grinding diameter	200 mm
Min. internal grinding diameter	5.0 mm
Grinding depth	250 mm
Centre height	180 mm
Distance between centres	1000 mm
Workpiece spindle speeds:	
number (steps)	6
from	125 rpm
up to	1000 rpm
Spindle hole	50 mm
Possible grinding-spindle speeds:	
from	3600 rpm
up to	40000 rpm
min.	3 mm
max	600 mm
Table speeds:	
stepless	
from	0.40 m/min
up to	10.00 m/min
Voltage 50 Hz 3x	380 Volt
Workpiece spindle motor	1.00 kW
Drive for internal grinding spindle	3.7 kW
Total power required	8.7 kW
Machine's weight about	2700 kg
Overall dimensions machine:	
Length	1800 mm


Width  
Height

900 mm  
1500 mm





**VOUMARD MACHINES Co S.A.**  
**La Chaux-de-Fonds Suisse**



3x 380 V	50 Hz	35 A
----------	-------	------

Tension de commande 

220 V~
--------

  
Steuerspannung 

V=
----

  
Control voltage  
Напряжение цепи управления

Machine N° 

052 516
---------

Type 

5 AR
------

WERKZEUGMASCHINEN  
**WENK SA**  
MACHINES - OUTILS  
**BIEL - BIENNE**

Mod. 

--

 No. 

--

--

Datadec <https://www.datadec.com>  
60 20 45  
K100 2506F (QUADRAT)  
51K I  
Produktionsjahr 1987  
11.1.85 487509/001