



SAM 020885**HUAWIN Tipo WM 1560**

Gruppo	Fresatrice a vite elicoidale
Produttori	HUAWIN
Tipo	WM 1560
Controller	SIEMENS
Video youtube	https://youtu.be/wrwOEh0PCMq



diametro massimo	150 mm
Distanza massima	600 mm
Modul massimo	5 mm
Diametro di fresa	100 - 135 mm
Alesaggio	25.4 / 31.75 mm
Giri mandrino	360 t/min
Guidare mandrino di fresatura	4 kW
Corse:	
Asse X	150 mm
Asse Y	100 mm
Asse Z	600 mm
Asse A	+90 / -35 °
Velocità rotazione del pezzo	10 t/min
Momento torcente mass.	1200 Nm
Collegamento aria compressa	5 bar
Potenza installata totale	20 kVA
Peso della macchina circa	5000 kg
Dimensioni macchina:	
Lunghezza	2250 mm
Altezza	1700 mm
Larghezza	2280 mm




HUAWIN PRECISION LTD.

Worm Milling Machine

WM1560

Worm Milling Machine

- Milling teeth, chamfering, spline shaft, keyway, and double lead processing are completed at one time.
- A full-cover machine and cutting fluid backflow system facilitates daily maintenance and meet worming processing requirement.





MULLER MACHINES SA
top second hand and new precision machine tools

www.mullermachines.ch

HUAWIN PRECISION LTD.

Worm Milling Machine

WM1560

Machine Specifications

Workpiece	Spec	Unit
Max. Module	5 (8)*1	mm
Max. Diameter	150	mm
Max. workpiece length	600	
Hob		
Max. hob diameter	100-135	mm
Hob aperture	25.4, 31.75	mm
X-axis travel	150	mm
Y-axis travel	100	mm
Z-axis travel	600	mm
A axis angle	+90 -35	degrees
C-axis		
Rated torque	1200	N.m
Max. speed	10	r/min
Chucks	Three-claw hydraulic chuck	
B-axis		
Power	3.8	Kw
Max. speed	360	r/min
Power capacity	20	KVA
Air pressure source		
Rated flow	30	L/min
Pressure	0.5	Mpa
Floor space	L2250×W1700×H2280	mm
Net weight	5000	kgs

*1 Special specifications