

**SAM 021449****SCHÜTTE Type WU 50**

**Group** Tool and cutter grinder  
**Manufacturer** SCHÜTTE  
**Type** WU 50



|                                          |            |
|------------------------------------------|------------|
| Centre height                            | 115 mm     |
| Distance between centres                 | 720 mm     |
| Max. grinding diameter                   | 260 mm     |
| Distance from table to grinding spindle: |            |
| min.                                     | 70 mm      |
| max                                      | 370 mm     |
| Longitudinal way of table                | 520 mm     |
| Transversal way of the table             | 270 mm     |
| Vertical adjustment of grinding head     | 300 mm     |
| Table swivels                            | 360 °      |
| Slewing range of grinding head:          |            |
| horizontal                               | 360 °      |
| Grinding spindle speeds:                 |            |
| number (steps)                           | 4          |
| from                                     | 1100 t/min |
| up to                                    | 6000 t/min |
| Voltage 50 Hz 3x                         | 380 Volt   |
| Grinding spindle motor                   | 1.6 CV     |
| Machine's weight about                   | 840 kg     |
| Overall dimensions machine:              |            |
| Length                                   | 1800 mm    |
| Width                                    | 1400 mm    |
| Height                                   | 1700 mm    |

**Various accessories:**

Set of flanges  
 Set of grinding wheel arbors  
 Set of arbors  
 Lamp  
 Vice rotatable  
 Work piece spindle head  
 Rayon redressing device



