


**SAM 021338****HUAWIN Art EG 1260**

<b>Gruppe</b>	Aussenverzahnungsschleifmaschine
<b>Hersteller</b>	HUAWIN
<b>Art</b>	EG 1260
<b>Youtube video</b>	<a href="https://youtu.be/ATw5twUp5Xw">https://youtu.be/ATw5twUp5Xw</a>



Nutendurchmesser min.	20 mm
Nutendurchmesser max.	120 mm
Nutenbreite min.	4 mm
Nutenbreite max.	20 mm
Anzahl der Nuten	1 - 99
Verfahrwege:	
X-Achse	70 mm
Y-Achse	150 mm
Z-Achse	600 mm
U-Achse	40 mm
Spindelmotor	8 kW
Drehzahl max.	10000 t/min
Maximales Drehmoment	500 Nm
Anschluss an Druckluft	5 bar
Gesamtleistungsbedarf	20 kVA
Maschinengewicht ca.	4500 kg
Abmessungen Maschine:	
Länge	2200 mm
Breite	1650 mm
Höhe	2000 mm

www.mullermachines.ch



HUIAWIN PRECISION LTD.  
External Spline Grinder **EG1260**

**External Spline Grinder EG1260**

- Equipped with interactive HM for upgraded performance and user-friendly operators.
- Quick dressing process realized by moveable rotary dressing device.
- DD motor of C-axis with zero-backspace last.
- High precision applied to detect workpiece automatically.






HUIAWIN PRECISION LTD.  
External Spline Grinder **EG1260**

**EG1260 External Spline Grinder**

Machine Specifications		Value	Unit	Remark
General				
Min. spline minor diameter	40.00	mm		
Min. spline width	4	mm		
Max. spline major diameter	120	mm		
Max. spline width	20	mm		
Number of spline	1-99			
Grinder				
A-axis	50	mm		
B-axis	1100	mm		
C-axis	40	mm		
D-axis	2000	mm		
Y	Clamp	Max. torque	1000	N.m
	End motor	center distance	300	mm
Z	S1-axis	stroke	17.5	mm
	S2-axis	Max. speed	10000	rpm
X	stroke	120	mm	
	Max. speed	50	mm/min	
Y	stroke	12.5	mm	
	Max. speed	20000-10000/20000	mm	
Z	stroke	100	mm	
	Max. speed	4000	mm	

B: S1-axis  
 C: C-axis  
 X: Feeding-axis  
 Y: Feeding-axis  
 Z: Feeding-axis  
 U: Rotary dressing device

311 維多利亞大道二樓202號  
 4000 Rue de la Chaux-de-Fonds, Suisse CH-2600 Neuchâtel  
 Tel: +41 32 373 44 44 Fax: +41 32 373 44 44  
 Web: www.mullermachines.ch Email: sales@mullermachines.ch  
 華宇精機有限公司 HUIAWIN PRECISION LTD. www.huiawinprecision.com

[www.mullermachines.ch](http://www.mullermachines.ch)

