



SAM 020885**HUAWIN Art WM 1560**

Gruppe	Schneckenfräsmaschine
Hersteller	HUAWIN
Art	WM 1560
Steuerung	SIEMENS
Youtube video	https://youtu.be/wrwOEh0PCMQ



Durchmesser max.	150 mm
Max. Werkstücklänge	600 mm
Modul max.	5 mm
Fräserdurchmesser	100 - 135 mm
Bohrung	25.4 / 31.75 mm
Fräserdrehzahlen	360 t/min
Antrieb Frässpindel	4 kW
Verfahrwege:	
X-Achse	150 mm
Y-Achse	100 mm
Z-Achse	600 mm
A-Achse	+90 / -35 °
Werkstückspindeldrehzahl	10 t/min
Maximales Drehmoment	1200 Nm
Anschluss an Druckluft	5 bar
Gesamtleistungsbedarf	20 kVA
Maschinengewicht ca.	5000 kg
Abmessungen Maschine:	
Länge	2250 mm
Höhe	1700 mm
Breite	2280 mm

www.mullermachines.ch




HUAWIN PRECISION LTD.

Worm Milling Machine

WM1560

Worm Milling Machine

- Milling teeth, chamfering, spline shaft, keyway, and double lead processing are completed at one time.
- A full-cover machine and cutting fluid backflow system facilitates daily maintenance and meet worming processing requirement.



HW
HUAWIN PRECISION LTD.

www.mullermachines.ch
HUAWIN PRECISION LTD.
Worm Milling Machine
WM1560
Machine Specifications

Workpiece	Spec	Unit
Max. Module	5 (8) ^{※1}	mm
Max. Diameter	150	mm
Max. workpiece length	600	
Hob		
Max. hob diameter	100-135	mm
Hob aperture	25.4, 31.75	mm
X-axis travel	150	mm
Y-axis travel	100	mm
Z-axis travel	600	mm
A axis angle	+90 -35	degrees
C-axis	Rated torque	1200 N.m
	Max. speed	10 r/min
	Chucks	Three-claw hydraulic chuck
B-axis	Power	3.8 Kw
	Max. speed	360 r/min
Power capacity	20	KVA
Air pressure source	Rated flow	30 L/min
	Pressure	0.5 Mpa
Floor space	L2250×W1700×H2280	mm
Net weight	5000	kgs

※1 Special specifications