

**SAM 022916****CITIZEN CINCOM Type K 16 E V II P**

<b>Group</b>	CNC automatic lathe
<b>Manufacturer</b>	CITIZEN CINCOM
<b>Type</b>	K 16 E V II P
<b>Controller CNC</b>	MITSUBISHI Meldas
<b>Year</b>	2012




Number of axis total	7
Max. turning diameter	16 mm
Turning length	200 mm
Max. threading diameter	8 M
Internal spindle diameter	20 mm
Spindle speeds:	
from	200 t/min
up to	10000 t/min
Thread drill diameter	5 M
Back spindle:	
speeds:	
from	t/min
up to	10000 t/min
Back machining workpiece length max.	80 mm
Tool-holder:	
number of driven tools	4
Spindle speeds (turning tools)	6000 t/min
Voltage 50 Hz 3x	400 Volt
Spindle motor	3.7 kW
Machine's weight about	2250 kg
Overall dimensions machine:	
Length	2020 mm
Width	1070 mm
Height	1680 mm




**Various accessories:**

Bar feeder	LNS
Oil mist extractor	Donaldson
High frequency spindle	2X
Spindle speeds	60000 t/min
Fire extinguishing system	

[www.mullermachines.ch](http://www.mullermachines.ch)



[www.mullermachines.ch](http://www.mullermachines.ch)



[www.mullermachines.ch](http://www.mullermachines.ch)

