

SAM 023734**SCHAUBLIN Type 202 TG-CNC W25-0127**

Group	CNC turning, milling and grinding centre
Manufacturer	SCHAUBLIN
Type	202 TG-CNC W25-0127
Controller CNC	FANUC 0i-TF PLUS
Year	2019




Number of axis total	3
Centre height over slide	60 mm
Travels:	
Longitudinal travel (Z-axis)	300 mm
Cross travel (x-axis)	150 mm
Resolution	0.0001 mm
Rapid traverse Z	20 m/min
Rapid traverse X	20 m/min
Number of positions	
Fixed tools turret	6
Driven tools turret	6
Inner taper type	W25
Collet bore	19 mm
C axis (spindle,resolution)	0.0001 °
Spindle speeds:	
up to	7000 t/min
Spindle power	5 / 6 kW
Torque max.	26.1 / 35.1 Nm
Voltage 50 Hz 3x	400 Volt
Machine's weight about	3000 kg
Overall dimensions machine:	
Length	1930 mm
Width	1'300 mm
Height	2040 mm

Various accessories:


Coolant system
 Interface Ethernet
 Chip conveyor
 Parts catcher
 Loader
 Rinsing Guns
 Fire extinguishing system

LNS Express 112+


www.mullermachines.ch



www.mullermachines.ch



Plan d'entretien 202TG **SCHAUBLIN[®]**
MACHINES SA



No	Organe de la machine	Action/Remarques	Fréquence		
			5% 100h	50% 1000h	100% 5000h
Arrière, tête de coupe, support					
17	Bai d'arrosage / Filage	Contrôler, compléter le niveau	X		
18	Tête de coupe	Surveillance		X	
19	Zone d'attente, convoyeur	Nettoyer les copeaux	X	X	
19	Bai d'arrosage	Visiter, nettoyer			
20	Passoir et évacuateur	Contrôle visuel			X
21	Éclairage de protection téleoptique	Contrôle, remplacer		X	X
22	Protection téleoptique	Démonter, nettoyer		X	X
23	Éclairage de protection	Démonter, nettoyer		X	X
Pneumatique					
24	Press. pneumatique	Contrôler		X	
25	Fuite d'air / Pneumatique	Contrôler fonctionnement		X	
26	Lubrification automatique	Contrôler, compléter le niveau		X	
Grillage centralisé					
27	Groupe de lubrification	Contrôler, compléter le niveau	X		
28	Remplacement des loupes	Contrôle visuel			X
Arrivée de commande					
41	Plat-ON	Remplacer			X
42	Plat amplificateur Force	Remplacer			X
43	Remplacement de l'arrosage	Nettoyer			X
Revue					
51	Revue	voir manuel SAUTER	X	X	X

08/07

