

**SAM 022866****CITIZEN CINCOM Type K16 VII P**

|                       |                     |
|-----------------------|---------------------|
| <b>Group</b>          | CNC automatic lathe |
| <b>Manufacturer</b>   | CITIZEN CINCOM      |
| <b>Type</b>           | K16 VII P           |
| <b>Controller CNC</b> | FANUC               |
| <b>Year</b>           | 2008                |



|                                |             |
|--------------------------------|-------------|
| Number of axis total           | 5 + 2       |
| Number of spindles             | 2           |
| Max. turning diameter          | 16 mm       |
| Maximum turning length         | 200 mm      |
| Max. drilling diameter         | 10 mm       |
| Max. threading diameter        | 8 M         |
| Internal spindle diameter      | 20 mm       |
| Spindle speeds:                |             |
| stepless                       |             |
| from                           | 200 t/min   |
| up to                          | 15000 t/min |
| Back spindle:                  |             |
| speeds:                        |             |
| from                           | 200 t/min   |
| up to                          | 10000 t/min |
| Thread drill diameter          | 5 M         |
| Tool-holder:                   |             |
| Turning tools                  | 6 pce       |
| Drilling tools                 | 4 pce       |
| Transverse processing tools    | 4 pce       |
| Spindle speeds (turning tools) | 6000 t/min  |
| Counter-operation:             |             |
| Drilling tools                 | 4 pce       |
| Voltage 50 Hz 3x               | 200 Volt    |
| Total power required           | 8 kVA       |
| Machine's weight about         | 2050 kg     |
| Overall dimensions machine:    |             |
| Length                         | 2020 mm     |
| Width                          | 1070 mm     |
| Height                         | 1680 mm     |
| <b>Various accessories:</b>    |             |
| Bar feeder                     |             |
| Manufacturer                   | FMB         |
| Type                           | TURBO 2-18  |
| Bar diameter                   | 2 - 18 mm   |
| Set of collets                 |             |
| Status light                   |             |











