

SAM 023608**KELLENBERGER Type KEL-VISTA UR 175/1000**

| | |
|-----------------------|-------------------------|
| Group | CNC cylindrical grinder |
| Manufacturer | KELLENBERGER |
| Type | KEL-VISTA UR 175/1000 |
| Controller CNC | GE FANUC Series 21i-T |
| Year | 2001 |



| | |
|--|-------------------|
| Centre height | 175 mm |
| Distance between centres | 1000 mm |
| Workpiece weight on centres max. | 100 kg |
| Grinding wheel: | |
| Diameter | 400 mm |
| Width | 63 mm |
| Bore | 127 mm |
| Rotatable grinding spindle head (b-axis) | +10/-210 man. ° |
| Peripheral speed | 35 m/s |
| Work piece spindle head (B-axis) | Manuel |
| Work piece spindle head: | |
| speeds: | |
| stepless | |
| from | 8 t/min |
| up to | 800 t/min |
| rotatable | +100 / -10 man. ° |
| taper in spindle: MT | ASA 5/ MK 5 |
| Taper in tailstock: | 4 CM |
| Tailstock travel of barrel | 50 mm |
| Table speed: | |
| stepless | |
| Rapid motion | 12 m/min |
| Max. table angular displacement | 9 ° |
| Grinding spindle motor | 5 kW |
| Overall dimensions machine: | |
| Length | 3'200 mm |
| Width | 1700 mm |
| Height | 2000 mm |

Various accessories:

Coolant system
 Paper filtration system
 Set of grinding wheels

www.mullermachines.ch



www.mullermachines.ch

