


**SAM 018647****SCHAUBLIN Type 150**

|                      |                                                                         |
|----------------------|-------------------------------------------------------------------------|
| <b>Group</b>         | Centre lathe                                                            |
| <b>Manufacturer</b>  | SCHAUBLIN                                                               |
| <b>Type</b>          | 150                                                                     |
| <b>Youtube video</b> | <a href="https://youtu.be/iZdXbrqVD-g">https://youtu.be/iZdXbrqVD-g</a> |



|                             |            |
|-----------------------------|------------|
| Centre height               | 150 mm     |
| Distance between centres    | 600 mm     |
| Swing over cross-slide      | 177 mm     |
| Swing over bed              | 340 mm     |
| Swing in gap                | mm         |
| Turning length              | 600 mm     |
| Spindle hole                | 40 mm      |
| Spindel nose for collets    | B32        |
| Taper in spindelstock MK    | 5          |
| Taper in spindle:           |            |
| Camlock                     | D 1-4"     |
| Spindle speeds:             |            |
| stepless                    |            |
| from                        | 55 t/min   |
| up to                       | 3000 t/min |
| Taper in tailstock:         | 5 CM       |
| Spindle diameter            | 60 mm      |
| Feeds:                      |            |
| number (steps)              | 48         |
| length:                     |            |
| from                        | 0.015 mm/t |
| up to                       | mm/t       |
| Frontal:                    |            |
| from                        | 0.015 mm/t |
| up to                       | mm/t       |
| Rapid motion                | 4 m/min    |
| Voltage 50 Hz 3x            | 380 Volt   |
| Spindle motor               | 2.70 CV    |
| Total power required        | 6 CV       |
| Machine's weight about      | 1250 kg    |
| Overall dimensions machine: |            |
| Length                      | 1'730 mm   |
| Width                       | 970 mm     |
| Height                      | 1300 mm    |

**Various accessories:**

3-jaw chuck  
 Coolant system  
 Quick closing attachment  
 Quick-change toolholder MULTIFIX

[www.mullermachines.ch](http://www.mullermachines.ch)

Set of steel holders  
Lamp  
Drilling tailstock

