

SAM 023294**SIP Type 600**

Group	Jig boring machine
Manufacturer	SIP
Type	600
Controller CNC	FANUC 21i-M




Table length	1100 mm
Table width	842 mm
T-channel width	16 mm
Table load max.	1500 kg
Longitudinal travel (X-axis)	1000 mm
Transversal travel (y-axis)	700 mm
Vertical travel (z axis)	300 mm
Taper in spindle: MT	4
Diameter of drilling spindle	135 mm
Spindle speeds:	
from	40 t/min
up to	2000 t/min
Feeds:	
number (steps)	
from	1 mm/min
up to	6'000 mm/min
Drill spindle slide:	
from	0.04 mm/t
up to	0.35 mm/t
Distance between columns	1100 mm
Distance between spindle and table	1000 mm
Voltage 50 Hz 3x	380 Volt
Spindle motor	8 CV
Spindle motor	5.9 kW
Total power required	12 kVA
Machine's weight about	10000 kg
Overall dimensions machine:	
Length	2930 mm
Width	3480 mm
Height	3235 mm

Various accessories:

Set of toolholders







www.mullermachines.ch



Technical data and photographs without warranty.

Industriestrasse 22
CH-2555 Brugg BE / Switzerland

T +41 32 373 34 44

sales@mullermachines.ch
CHE-108.090.645 MWST