

**SAM 016476****HAUSER Type 3 DR**

**Group** Jig boring machine  
**Manufacturer** HAUSER  
**Type** 3 DR



|                                     |            |
|-------------------------------------|------------|
| Table length                        | 550 mm     |
| Table width                         | 320 mm     |
| Table load max.                     | 400 kg     |
| Longitudinal travel (X-axis)        | 400 mm     |
| Transversal travel (y-axis)         | 250 mm     |
| Vertical travel (z axis)            | 400 mm     |
| Drill capacity in steel             | 20 mm      |
| Taper in spindle: MT                | 2          |
| Stroke of drilling spindle (Z-axis) | 130 mm     |
| Bore diameter max.                  | 75 mm      |
| Distance table to spindle           | 590 mm     |
| Spindle speeds:                     |            |
| stepless                            |            |
| from                                | 60 t/min   |
| up to                               | 3000 t/min |
| Feeds:                              |            |
| Drill spindle slide:                |            |
| number (steps)                      | 2          |
| from                                | mm/t       |
| up to                               | mm/t       |
| Voltage 50 Hz 3x                    | 380 Volt   |
| Spindle motor                       | 1 CV       |
| Machine's weight about              | 1100 kg    |
| Overall dimensions machine:         |            |
| Length                              | 1200 mm    |
| Width                               | 1150 mm    |
| Height                              | 1650 mm    |
| <b>Various accessories:</b>         |            |
| Digital readout number of axis:     | 3          |
| Manufacturer                        | PHILIPS    |
| Rotary table diameter               | 380 mm     |



