

**SAM 022349****ANGELINI Type MAS 140**

**Group** Centre lathe  
**Manufacturer** ANGELINI  
**Type** MAS 140



|                             |            |
|-----------------------------|------------|
| Centre height               | 140 mm     |
| Distance between centres    | 800 mm     |
| Spindle hole                | 35 mm      |
| taper in spindle: MT        | 5          |
| Taper in spindle:           |            |
| Camlock                     |            |
| Spindle speeds:             |            |
| number (steps)              | 8          |
| from                        | 45 t/min   |
| up to                       | 2840 t/min |
| Taper in tailstock:         | 3 CM       |
| Feeds:                      |            |
| number (steps)              | 16         |
| length:                     |            |
| from                        | 0.5 mm/t   |
| up to                       | 7 mm/t     |
| Frontal:                    |            |
| from                        | 0.5 mm/t   |
| up to                       | 7 mm/t     |
| Voltage 50 Hz 3x            | 380 Volt   |
| Machine's weight about      | 720 kg     |
| Overall dimensions machine: |            |
| Length                      | 1'600 mm   |
| Width                       | 650 mm     |
| Height                      | 1200 mm    |
| <b>Various accessories:</b> |            |
| 3-jaw chuck diameter        | 160 mm     |
| Fixed steady                |            |
| Quick change tool           |            |
| Set of steel holders        |            |
| Set of gears                |            |
| Drilling tailstock          |            |
| Lathe chuck protection      |            |



