

SAM 022528**ELB Type PERFEKT BD 8 SPS**

Group	Surface grinder
Manufacturer	ELB
Type	PERFEKT BD 8 SPS
Controller CNC	Unicon
Youtube video	https://youtu.be/ZoMZ04rTj0w




Table length	1360 mm
Table width	590 mm
Number of T-channels	1
T-channel width	16 mm
Grinding length	1250 mm
Grinding width	600 mm
Grinding height	400 mm
Table load max.	900 kg
Longitudinal travel (X-axis)	900 mm
Cross travel (z-axis)	540 mm
Vertical travel (Y-axis)	400 mm
Automatic longitudinal feeds:	
stepless	
from	m/min
up to	26 m/min
Automatic cross-feed:	
stepless	
from	mm/min
up to	2'000 mm/min
Automatic Vertical feed:	
stepless	
from	mm/min
up to	300 mm/min
Grinding wheel speeds fix	1440 t/min
Diameter of grinding wheel	400 mm
Width of the grinding wheel	100 mm
Drilling cap. of grind.wheel	127 mm
Spindle cone	60 mm
Voltage 50 Hz 3x	400 Volt
Grinding spindle motor	20 kW
Total power required	18.5 kW
Machine's weight about	5400 kg
Overall dimensions machine:	
Length	5100 mm
Width	2800 mm
Height	2500 mm
Dimensions electric cabinet:	
Length	1200 mm
Width	500 mm
Height	1900 mm


www.mullermachines.ch

Various accessories:

Paper filtration system
Electrical magnetic chuck
Length
Width
Redressing device
Lamp
Central lubrication

1200 mm
600 mm







www.mullermachines.ch

