

SAM 021724**KELLENBERGER Type 600 U 175**

Group	Cylindrical grinder
Manufacturer	KELLENBERGER
Type	600 U 175
Youtube video	https://youtu.be/II73QKOCd2A







Centre height	175 mm
Distance between centres	600 mm
Grinding wheel:	
Diameter	350 mm
Width	50 mm
Bore	127 mm
Grinding wheel speeds:	
number (steps)	4
from	1500 t/min
up to	3600 t/min
Angular displacement	270 °
Work piece spindle head:	
speeds:	
stepless	
from	20 t/min
up to	400 t/min
rotatable	360 °
Inner taper type	W25
Spindle taper	5 CM
Taper in tailstock:	3 CM
Table angular displacement	10 °
Table speed:	
stepless	
up to	6 m/min
Voltage 50 Hz 3x	380 Volt
External Grinding wheel motor	4.0 CV
Machine's weight about	2'200 kg
Overall dimensions machine:	
Length	3000 mm
Width	1750 mm
Height	1600 mm
Various accessories:	
Internal grinding attachment	14'000 -1
Redressing device	
3-jaw chuck diameter	160 mm
Macnetic chuck diameter	225 mm
Coolant system	
Paper filtration system	
Set of grinding wheels	
Set of flanges	

www.mullermachines.ch

Flange with wheel
Tool cabinet
Travelling steady
Balancing arbor
Balancing support
Set of centers
Set of driving dogs
Grinding wheel guard
Safety device
Sine supporting templates







www.mullermachines.ch

