

SAM 022876**CITIZEN CINCOM Type K 12 VIIP**

| | |
|-----------------------|---------------------|
| Group | CNC automatic lathe |
| Manufacturer | CITIZEN CINCOM |
| Type | K 12 VIIP |
| Controller CNC | FANUC |
| Year | 2007 |





| | |
|--------------------------------|-------------|
| Number of axis total | 7 |
| Number of spindles | 2 |
| Max. turning diameter | 12 mm |
| Maximum turning length | 200 mm |
| Max. drilling diameter | 10 mm |
| Max. threading diameter | 8 M |
| Internal spindle diameter | 20 mm |
| Spindle speeds: | |
| stepless | |
| from | 200 t/min |
| up to | 15000 t/min |
| Spindle positioning increment | 15 ° |
| Back spindle: | |
| speeds: | |
| from | 200 t/min |
| up to | 10000 t/min |
| Max. tapping length | 80 mm |
| Spindle positioning increment | 15 ° |
| Thread drill diameter | 5 M |
| Tool-holder: | |
| Turning tools | 6 pce |
| Drilling tools | 4 pce |
| Transverse processing tools | 4 pce |
| Spindle speeds (turning tools) | 6000 t/min |
| Power of driven tools | 0.4 kW |
| Counter-operation: | |
| Drilling tools | 4 pce |
| Voltage 50 Hz 3x | 400 Volt |
| Total power required | 8 kVA |
| Machine's weight about | 2050 kg |
| Overall dimensions machine: | |
| Length | 1875 mm |
| Width | 1125 mm |
| Height | 1610 mm |
| Various accessories: | |
| Driven tools (number) | |
| Toolholders | |
| Bar feeder | |
| Manufacturer | LNS |
| Type | TRYTON 107 |

www.mullermachines.ch

- Parts catcher
- Lamp
- Coolant system
- Collet chuck
- Set of collets
- Interface serial port RS 232
- Status light




www.mullermachines.ch



www.mullermachines.ch



www.mullermachines.ch



www.mullermachines.ch

