

SAM 021450**TSCHUDIN Type HTG 410**

Group Cylindrical grinder
Manufacturer TSCHUDIN
Type HTG 410



Centre height	100 mm
Distance between centres	400 mm
Grinding wheel:	
Diameter	350 mm
Width	50 mm
Bore	127 mm
Grinding wheel speeds:	
number (steps)	3
from	1640 t/min
up to	2300 t/min
Work piece spindle head:	
speeds:	
stepless	
from	65 t/min
up to	500 t/min
rotatable	360 °
Spindle hole	23 mm
Spindle taper	4 CM
Taper in tailstock:	3 CM
Table angular displacement	9 °
Table speed:	
stepless	
up to	5 m/min
Voltage 50 Hz 3x	380 Volt
External Grinding wheel motor	2.5 CV
Workhead spindle motor	0.5 CV
Total power required	4 CV
Machine's weight about	2'100 kg
Overall dimensions machine:	
Length	1600 mm
Width	1200 mm
Height	1550 mm
Various accessories:	
Internal grinding attachment swivellable:	
Spindle speeds	23000 t/min
Reversible dressing device	
Angle dresser	
Set of grinding arbor	
Three-jaw bezel folds open	
Balancing arbor	

www.mullermachines.ch

Set of centers





