

SAM 020348**ELB Type SMART BD10 STC**

Group	CNC Surface / profil grinder
Manufacturer	ELB
Type	SMART BD10 STC
Controller CNC	ELB STC touch screen
Year	2009
Youtube video	https://youtu.be/Pr2Nh1op36l



Table length	1360 mm
Table width	590 mm
Axial motion:	
Longitudinal travel (X-axis)	1100 mm
Cross travel (z-axis)	670 mm
vertical travel (Y-axis)	400 mm
Table load max.	1000 kg
Grinding length	1000 mm
Grinding width	600 mm
Grinding height over table	640 mm
Grinding wheel:	
Diameter	400 mm
Width	100 mm
Bore	127 mm
Grinding wheel speeds:	1450
Table speeds:	
stepless	
from	2 m/min
up to	30 m/min
Automatic cross feed:	
from	mm/min
up to	2000 mm/min
Automatic vertical feed:	
from	mm/min
up to	1500 mm/min
Vertical rapid traverse	1 m/min
Noise level	75 dB (A)
Voltage 50 Hz 3x	400 Volt
Grinding spindle motor	10 kW
Total power required	30 kW
Machine's weight about	6900 kg
Overall dimensions machine:	
Length	3550 mm
Width	2410 mm
Height	2660 mm

Various accessories:

Coolant system
 Paper filtration system
 Oil mist extractor

www.mullermachines.ch

Magnetic plate:

Length

800 mm

Width

600 mm

Redressing device

Profile roll dressing device



Set of grinding wheels

Set of flanges


Handwheel electroinic



www.mullermachines.ch



www.mullermachines.ch



www.mullermachines.ch



www.mullermachines.ch

