

SAM 022364**STUDER Type S 20-12**

Group Cylindrical grinder
Manufacturer STUDER
Type S 20-12



Centre height	100 mm
Distance between centres	400 mm
Grinding wheel:	
Diameter	300 mm
Width	30 mm
Bore	127 mm
Angular displacement	30 °
Work piece spindle head:	
speeds:	
stepless	60 t/min
from	1200 t/min
up to	20 °
rotatable	W20
Inner taper type	4 CM
Spindle taper	2 CM
Taper in tailstock:	30 °
Table angular displacement	
Table speed:	
stepless	m/min
from	100 mm/min
from	3500 mm/min
up to	380 Volt
Voltage 50 Hz 3x	4.5 CV
External Grinding wheel motor	1'900 kg
Machine's weight about	
Overall dimensions machine:	
Length	1500 mm
Width	1400 mm
Height	1600 mm
Various accessories:	
Internal grinding attachment swivellable:	
Spindle speeds	45000 t/min
Reversible dressing device	
Laterally pivotable dressing device	
Magnetic chuck diameter	120 mm
Grinding wheel with flange	
Set of flanges for internal grinding	
Steady	
Three-jaw bezel folds open	
Set of collets	

www.mullermachines.ch

Balancing support
Set of centers
Set of driving dogs
Tailstock with fine adjustment
Grinding wheel guard
Safety device





