

**SAM 022868****STEFOR Type RTA 500**


**Group** Surface grinder  
**Manufacturer** STEFOR  
**Type** RTA 500




Table length	665 mm
Table width	205 mm
Grinding length	500 mm
Grinding width	200 mm
Execution:	
hydraulic	
Max. distance from table to spindle-centreline	425 mm
Longitudinal travel (X-axis)	550 mm
Transversal travel (y axis)	200 mm
Automatic cross-feed:	
stepless	
from	1 m/min
up to	30 m/min
Table speeds:	
stepless	
from	1 m/min
up to	22 m/min
Diameter of grinding wheel	225 mm
Width of the grinding wheel	30 mm
Grinding wheel speeds fix	2800 t/min
Voltage 50 Hz 3x	380 Volt
Grinding spindle motor	2 CV
Total power required	3 CV
Machine's weight about	850 kg
Overall dimensions machine:	
Length	1500 mm
Width	1300 mm
Height	1700 mm
Dimensions of the control:	
Length	1000 mm
Width	600 mm
Height	850 mm
<b>Various accessories:</b>	
Coolant system	
Magnetic plate:	
Length	665 mm
Width	200 mm
Redressing device	

[www.mullermachines.ch](http://www.mullermachines.ch)

Set of grinding wheels



[www.mullermachines.ch](http://www.mullermachines.ch)



[www.mullermachines.ch](http://www.mullermachines.ch)

