

**SAM 023260****ROLLOMATIC Type CNC 600 X**

|                       |                                                                         |
|-----------------------|-------------------------------------------------------------------------|
| <b>Group</b>          | Tool and cutter grinder CNC                                             |
| <b>Manufacturer</b>   | ROLLOMATIC                                                              |
| <b>Type</b>           | CNC 600 X                                                               |
| <b>Controller CNC</b> | FANUC 16i-M                                                             |
| <b>Youtube video</b>  | <a href="https://youtu.be/ZovUgKhXnAE">https://youtu.be/ZovUgKhXnAE</a> |



|                              |               |
|------------------------------|---------------|
| grinding diameter            | 0.1 - 12.7 mm |
| Max. grinding length         | 150 mm        |
| Max. grinding wheel diameter | 150 mm        |
| Taper in spindle             | W20           |
| Axial motion:                |               |
| Crosswise                    | 230 mm        |
| Longitudinal                 | 180 mm        |
| Vertical                     | 150 mm        |
| Resolution                   | °             |
| A axis                       | -15 / +90 °   |
| B axis swivelling range      | -130 / +45 °  |
| C axis (spindle,resolution)  | °             |
| W axis                       | 600 mm        |
| U axis                       | 600 mm        |
| Grinding spindle speeds:     |               |
| stepless                     |               |
| from                         | 2000 t/min    |
| up to                        | 7200 t/min    |
| Voltage 50 Hz 3x             | 380 Volt      |
| Grinding spindle motor       | 14.5 kW       |
| Machine's weight about       | 3500 kg       |
| Overall dimensions machine:  |               |
| Length                       | 2060 mm       |
| Width                        | 2032 mm       |
| Height                       | 1880 mm       |
| Coolant system               |               |
| Adjustable projector         |               |





[www.mullermachines.ch](http://www.mullermachines.ch)



Technical data and photographs without warranty.

Industriestrasse 22  
CH-2555 Brugg BE / Switzerland

T +41 32 373 34 44

[sales@mullermachines.ch](mailto:sales@mullermachines.ch)  
CHE-108.090.645 MWST