

SAM 021727**EWAG Type RS 15**

Group	Tool and cutter grinder
Manufacturer	EWAG
Type	RS 15
Youtube video	https://youtu.be/z3pVuy2YE0k



Table length	155 mm
Table width	205 mm
X axis	490 mm
Y axis	130 mm
Spindle inclination (A-axis)	-10 / +27 °
B axis swivelling range	260 °
Oscillation size	0 - 70 mm
Oscillation	30 / 60 min-1
Grinding spindle speeds:	
stepless	
from	1000 t/min
up to	8000 t/min
Workpiece carriage:	
Radius adjustment (Z-axis)	0 - 115 mm
Adjustment accuracy of the Z axis	mm
Cross table clamping surface	155 x 205 mm
Courses support	60 mm
Pneumatic swivel lock	40 Nm
Contact pressure variable	0 - 400 N
Voltage 50 Hz 3x	400 Volt
Grinding spindle motor	2.2 kW
Total power required	5 kVA
Machine's weight about	1800 kg
Overall dimensions machine:	
Length	1630 mm
Width	1250 mm
Height	1900 mm
Dimensions of the control:	
Length	1000 mm
Width	400 mm
Height	960 mm

Various accessories:

Digital readout number of axis:	3
Dividing attachment	2x
Redressing device	
Adjustable projector	
Cold light	
Central lubrication	

www.mullermachines.ch



www.mullermachines.ch



www.mullermachines.ch

