

SAM 023566**FANUC Type ROBODRILL ALPHA T21 i Fla**

Groupe	Centre d'usinage vertical
Fabricant	FANUC
Type	ROBODRILL ALPHA T21 i Fla
Commande	Fanuc 31i-MODEL A5
Année	2012




Nombre d'axes total	3
Longueur de la table	850 mm
Largeur de la table	400 mm
Charge admise sur la table max.	300 kg
Course longitudinale (axe-X)	700 mm
Course transversale (Y)	400 mm
Course verticale (axe-Z)	330 mm
Magasin nombre de places d'outils	21
Poids de l'outil max.	23 kg
Cône de broche : ISO	30
Distance nez de broche et table	250 - 580 mm
Vitesse de la broche:	
Variateur (réglage progressif)	
de	100 t/min
à	24000 t/min
Avances rapide:	54 m/min
Branchement 50 Hz 3x	400 Volt
Puissance de la broche	5.5 kW
Puissance totale installée	11 kVA
Poids de la machine env.	2200 kg
Encombrement machine:	
Longueur	2140 mm
Largeur	2000 mm
Hauteur	2350 mm

Accessoires divers:

Dispositif d'arrosage
 Filtration par papier

KOWAP KRH-KBF-SM ONLY only
 for plastic

Evacuateur de copeaux
 Magasin de chargement
 Lampe





A photograph of a KOWAF industrial machine, likely a press or cutter, with a logo and the brand name 'KOWAF' on its front panel. The machine is white and has a large, flat, metallic work surface. A black handle is visible on the work surface. The machine is situated in a room with a red floor and yellow safety lines. In the background, there are other industrial equipment and a blue storage rack.

