


**SAM 020885****HUAWIN Type WM 1560**

<b>Groupe</b>	Fraiseuse à vis hélicoïdale
<b>Fabricant</b>	HUAWIN
<b>Type</b>	WM 1560
<b>Commande</b>	SIEMENS



Diamètre max.	150 mm
Longueur max. de la pièce	600 mm
Module max.	5 mm
Diamètre de la fraise	100 - 135 mm
Alésage	25.4 / 31.75 mm
Nombre tours de broche	360 t/min
Entraînement de la broche	4 kW
Courses:	
Axe X	150 mm
Axe Y	100 mm
Axe Z	600 mm
Axe A	+90 / -35 °
Tours poupée porte-pièce	10 t/min
Couple maximum	1200 Nm
Branchement à l'air comprimé	5 bar
Puissance totale installée	20 kVA
Poids de la machine env.	5000 kg
Encombrement machine:	
Longueur	2250 mm
Hauteur	1700 mm
Largeur	2280 mm

[www.mullermachines.ch](http://www.mullermachines.ch)




HUAWIN PRECISION LTD.

Worm Milling Machine

**WM1560**

### Worm Milling Machine

- Milling teeth, chamfering, spline shaft, keyway, and double lead processing are completed at one time.
- A full-cover machine and cutting fluid backflow system facilitates daily maintenance and meet worming processing requirement.



[www.mullermachines.ch](http://www.mullermachines.ch)

HUAWIN PRECISION LTD.

*Worm Milling Machine*
**WM1560**
**Machine Specifications**

Workpiece	Spec	Unit
Max. Module	5 (8)*1	mm
Max. Diameter	150	mm
Max. workpiece length	600	
Hob		
Max. hob diameter	100-135	mm
Hob aperture	25.4, 31.75	mm
X-axis travel	150	mm
Y-axis travel	100	mm
Z-axis travel	600	mm
A axis angle	+90 -35	degrees
C-axis	Rated torque	1200 N.m
	Max. speed	10 r/min
	Chucks	Three-claw hydraulic chuck
B-axis	Power	3.8 Kw
	Max. speed	360 r/min
Power capacity	20	KVA
Air pressure source	Rated flow	30 L/min
	Pressure	0.5 Mpa
Floor space	L2250×W1700×H2280	mm
Net weight	5000	kgs

※ 1 Special specifications