



Inventarnummer: 20929

Flachschleifmaschine
CHEVALIER FSG-1640TX



Technische Daten

Schleiflänge	1015 mm
Schleifbreite	405 mm
Schleifhöhe	350 mm
Tischgeschwindigkeit:	
Stufenlos	
von	5 m/min
bis	25 m/min
Schleifscheibendurchmesser	355 mm
Schleifscheibenbreite	50 mm
Schleifscheibenbohrung	127 mm
Gesamtleistungsbedarf	3.7 kW
Maschinengewicht ca.	3600 kg
Abmessungen Maschine:	
Länge	3500 mm
Breite	1700 mm
Höhe	2000 mm
Diverses Zubehör:	
Kühlmitteleinrichtung	
Elektro-Magnetspannplatte:	
Länge	1000 mm
Breite	400 mm
Abrichtvorrichtung	
Lampe	
Schaltschrank Klimagerät	











⚠ WARNING



PROCEDURES FOR LOOSENING WHEEL FLANGE WITH WHEEL
1. LOOSEN A WHEEL SETTING SCREW C/W TILL A CONVERTER FROM LOOSE TO TIGHT AGAIN
2. THEN TURN A C/W ABOUT 90° AND STOP TURNING WHILE A IS LOOSENED AGAIN
3. EXTRACT B (SETTING NUT) BY TURNING IT IN C/W DIRECTION AND THEN TAKE OFF WHEEL FLANGE WITH WHEEL



1. PLEASE BALANCE THE WHEEL BEFORE MOUNTING IT ONTO THE SPINDLE
2. FOR SAFETY PLEASE BE SURE TO SHUT OFF THE SPINDLE FROM THE PUSHBUTTON ON THE PANEL WHEN CHANGING THE GRINDING WHEEL



NEVER PUT HANDS NEAR GRINDING WHEEL OR REMOVE WORKPIECES FROM TABLE BEFORE WHEEL ROTATION STOPS



