



Inventory number: 11936

Jig grinder  
HAUSER 2 SO



### Technical data

1 column execution

|                                      |            |
|--------------------------------------|------------|
| Table length                         | 400 mm     |
| Table width                          | 300 mm     |
| Longitudinal travel (X-axis)         | 200 mm     |
| Transversal travel (y-axis)          | 200 mm     |
| Travel of the vertical slide         | 250 mm     |
| Passage from grinding motor to table | 270 mm     |
| Max. grinding diameter               | 15 mm      |
| Vertical travel of grinding spindle: |            |
| stepless from                        | 2 mm       |
| up to                                | 32 mm      |
| Travel speeds:                       |            |
| numbers                              | 2          |
| from                                 | 4.0 m/min  |
| up to                                | 5.0 m/min  |
| Possible grinding-spindle speeds:    |            |
| stepless                             |            |
| up to                                | 120000 rpm |
| Voltage 50 Hz 3x                     | 380 Volt   |

|                             |         |
|-----------------------------|---------|
| Machine's weight about      | 750 kg  |
| Overall dimensions machine: |         |
| Length                      | 1200 mm |
| Width                       | 900 mm  |
| Height                      | 1600 mm |
| Various accessories:        |         |
| Rotary table diameter       | 300 mm  |
| Set of clamping tools       |         |
| Air turbine                 |         |



