



Inventory number: 16413

Universal milling machine  
SCHAUBLIN 13



### Technical data

|   |             |
|---|-------------|
| Table length                              | 600 mm      |
| Table width                               | 210 mm      |
| Longitudinal travel (X-axis)              | 260 mm      |
| Transversal travel (y axis)               | 150 mm      |
| Vertical travel (z axis)                  | 310 mm      |
| Distance from vertical spindle to table   | 310 mm      |
| Distance from horizontal spindle to table | 410 mm      |
| Spindle speeds:                           |             |
| stepless                                  |             |
| from                                      | 58 rpm      |
| up to                                     | 2000 rpm    |
| Taper in spindle                          | 30 ISO      |
| Feeds steps:                              | 10          |
| longitudinal from                         | 12.0 mm/min |
| up to                                     | 400 mm/min  |
| vertical from                             | 12.0 mm/min |
| up to                                     | 400 mm/min  |
| Rapid traverse:                           |             |
| longitudinal                              | 1.2 m/min   |
| vertical                                  | 1.2 m/min   |
| Voltage 50 Hz 3x                          | 380 Volt    |
| Motor output                              | 2.0 HP      |
| Total power required                      | 3.0 HP      |
| Machine's weight about                    | 700 kg      |
| Overall dimensions machine:               |             |
| Length                                    | 1500 mm     |

Width 1100 mm

Height 1600 mm

Various accessories:

Digital readout number of axis: 2

Tilting and swivel table

Chip tray











