



Inventory number: 19445

Universal milling machine
REIDEN FU 150 A



Technical data

| | |
|------------------------------|------------|
| Table length | 1250 mm |
| Table width | 350 mm |
| Longitudinal travel (X-axis) | 850 mm |
| Transversal travel (y axis) | 250 mm |
| Vertical travel (z axis) | 470 mm |
| Table load max. | 400 kg |
| Spindle speeds: | |
| number (steps) | 12 |
| from | 45 rpm |
| up to | 2000 rpm |
| Taper in spindle | 40 ISO |
| Feeds steps: | 12 |
| longitudinal from | 18 mm/min |
| up to | 800 mm/min |
| transversal from | 18 mm/min |
| up to | 800 mm/min |
| vertical from | 7.2 mm/min |
| up to | 320 mm/min |
| Rapid traverse: | |

| | |
|-----------------------------|------------|
| longitudinal | 2.70 m/min |
| transversal | 2.75 m/min |
| vertical | 1.10 m/min |
| Voltage 50 Hz 3x | 380 Volt |
| Motor output | 10 HP |
| Total power required | 7 HP |
| Machine's weight about | 1950 kg |
| Overall dimensions machine: | |
| Length | 2000 mm |
| Width | 1700 mm |
| Height | 2000 mm |
| Various accessories: | |
| Set of toolholders | |
| Lamp | |













Werkzeugmaschinenfabrik A.G. Reiden

Typ: FU 150 A Baujahr: 4, 1978

Fabr.-Nr.: 261/8

Volt 380



G 1002 a

