



Inventory number: 19544

CNC Internal grinder  
VOUMARD 3 CNC  
NUM




### Technical data


Min. grinding diameter	3 mm
Centre height	200 mm
Max. grinding diameter	50 mm
Axial motion:	
Longitudinal travel (Z-axis)	300 mm
Cross travel (x-axis)	90 mm
Work piece spindle head (B-axis)	
Swivelling range	-5 / 60 °
Possible grinding-spindle speeds:	
from	55000 rpm
Voltage 50 Hz 3x	400 Volt
Total power required	10-15 kW
Machine's weight about	2800 kg
Overall dimensions machine:	
Length	3000 mm
Width	2300 mm
Height	2200 mm
Various accessories:	
Redressing device	
Macnetic chuck diameter	200 mm





























**VOUMARD MACHINES Co S.A.**  
**La Chaux-de-Fonds Suisse**



3 x 400 V	50 Hz	25 A
-----------	-------	------

Tension de commande  
Steuerspannung  
Control voltage  
Напряжение цепи управления

V ~
24 V =

Machine N°

31975

Type

3CNC CH

**VOUMARD Deutschland GmbH**

Vertrieb und Service für Schleifmaschinen  
Robert-Koch-Str. 12, 71665 Vaihingen/Enz  
Telefon 0 70 42 / 83 59 - 0  
Telefax 0 70 42 / 3 52 64  
e-mail: [info@voumard.de](mailto:info@voumard.de)

