



Inventory number: 19918

Jig boring machine  
HAUSER OP 2



### Technical data

|                              |            |
|------------------------------|------------|
| Table length                 | 400 mm     |
| Table width                  | 300 mm     |
| Longitudinal travel (X-axis) | 200 mm     |
| Transversal travel (y-axis)  | 200 mm     |
| Vertical travel (z axis)     | 250 mm     |
| Drill capacity in steel      | 10 mm      |
| Taper in spindle: MT         | 0          |
| Drill depth (spindle stroke) | 70 mm      |
| Distance table to spindle    | 320 mm     |
| Spindle speeds:              |            |
| stepless                     |            |
| from                         | 150 rpm    |
| up to                        | 3000 rpm   |
| Feeds:                       |            |
| Drill spindle slide:         |            |
| from                         | 0.015 mm/r |

|                                 |          |          |
|---------------------------------|----------|----------|
| Voltage                         | 50 Hz 3x | 380 Volt |
| Spindle motor                   |          | 0.5 HP   |
| Machine's weight about          |          | 700 kg   |
| Overall dimensions machine:     |          |          |
| Length                          |          | 1200 mm  |
| Width                           |          | 1000 mm  |
| Height                          |          | 1800 mm  |
| Various accessories:            |          |          |
| Digital readout number of axis: |          | 2        |
| Manufacturer                    |          | PHILIPS  |
| Drill chuck                     |          |          |
| Set of boring head              |          |          |
| Centering microscop             |          |          |
| Set of drills                   |          |          |
| Device for laying out           |          |          |



















