



Inventory number: 20348

CNC Surface / profil grinder  
ELB SMART BD10 STC  
ELB STC touch screen  
2009



### Technical data

Table length	1360 mm
Table width	590 mm
Axial motion:	
Longitudinal travel (X-axis)	1100 mm
Cross travel (z-axis)	670 mm
vertical travel (Y-axis)	400 mm
Table load max.	1000 kg
Grinding length	1000 mm
Grinding width	600 mm
Grinding height over table	640 mm
Grinding wheel:	
Diameter	400 mm
Width	100 mm
Bore	127 mm
Grinding wheel speeds:	1450
Table speeds:	
stepless	
from	2 m/min
up to	30 m/min
Automatic cross feed:	
from	0.001 mm/min
up to	2000 mm/min
Automatic vertical feed:	
from	0.001 mm/min
up to	1500 mm/min
Vertical rapid traverse	0.6 m/min

Noise level	75 dB (A)
Voltage 50 Hz 3x	400 Volt
Grinding spindle motor	10 kW
Total power required	30 kW
Machine's weight about	6900 kg
Overall dimensions machine:	
Length	3550 mm
Width	2410 mm
Height	2660 mm
Various accessories:	
Coolant system	
Paper filtration system	
Oil mist extractor	
Magnetic plate:	
Length	800 mm
Width	600 mm
Redressing device	
Profile roll dressing device	
Set of grinding wheels	
Set of flanges	
Handwheel electronic	







































