



Inventory number: 21724

Cylindrical grinder
KELLENBERGER 600 U 175



Technical data

Centre height	175 mm
Distance between centres	600 mm
Grinding wheel:	
Diameter	350 mm
Width	50 mm
Bore	127.0 mm
Grinding wheel speeds:	
number (steps)	4
from	1500 rpm
up to	3600 rpm
Angular displacement	270 °
Work piece spindle head:	
speeds:	
stepless	
from	20 rpm
up to	400 rpm
rotatable	360 °
Inner taper type	W25
Spindle taper	5 MT
Taper in tailstock:	3 MT
Table angular displacement	10 °
Table speed:	
stepless	
up to	6.0 m/min
Voltage 50 Hz 3x	380 Volt

External Grinding wheel motor	4.0 HP
Machine's weight about	2200 kg
Overall dimensions machine:	
Length	3000 mm
Width	1750 mm
Height	1600 mm
Various accessories:	
Internal grinding attachment	14'000 -1
Redressing device	
3-jaw chuck diameter	160 mm
Macnetic chuck diameter	225 mm
Coolant system	
Paper filtration system	
Set of grinding wheels	
Set of flanges	
Flange with wheel	
Tool cabinet	
Travelling steady	
Balancing arbor	
Balancing support	
Set of centers	
Set of driving dogs	
Grinding wheel guard	
Safety device	
Sine supporting templades	
Set of elevation plates	90 mm



















