



Inventory number: 21765

Horizontal machining center
MATSUURA H. PLUS 300
Matsuura G-Tech 30i
2006



Technical data

Number of axis total	4
Number of spindles	1
Longitudinal travel (X-axis)	500 mm
Transversal travel (y-axis)	500 mm
Vertical travel (z axis)	500 mm
Dimension of the workpice:	
Height	700 mm
Diameter	530 mm
B axis	1 °
C axis	1 °
Pallets chanching device:	
numbers	2
Length	300 mm
Width	300 mm
Maximum workpiece weight	250 kg
Pallet weight	40 kg
Time of changing palets	6.5 sec
Tool changer:	
Number of tools	90
Tool diameter max.	80 mm
Diameter with free adjacent pockets	150 mm
Tool lenght	300 mm
Max. tool-weight	8 kg
Time of tool changing	2 sec
Average chip-to-chip time	2.9 sec
Spindle nose: BT	40

Distance spindle nose to table	80 - 580 mm
Spindle speeds:	
stepless	
from	50 rpm
up to	15000 rpm
Torque max.	95.4 Nm
Feed range	1 - 50000 mm/min
Rapid traverse:	50 m/min
Voltage 50 Hz 3x	380 Volt
Spindle power	15 / 22 kW
Total power required	44 kVA
Machine's weight about	7000 kg
Overall dimensions machine:	
Length	3660 mm
Width	2463 mm
Height	2445 mm
Various accessories:	
Set of toolholders	
Coolant system	500 l
High pressure coolant device	
Chip conveyor	
Pallets changing device:	
Pallets: number	10
Spindle oil cooler	
Rotating viewing window	





• M-39 •


Einrichten sie "schweres Werkzeug" am
Werkzeugeinstellung-Bildschirm falls
das Werkzeuggewicht die 6kg (13 pfund)
oder mehr übersteigt.
099-9999-30

MAX. DREHZAHL
15000min⁻¹
076-8887-30

PULLSTUD SPEC.
JIS B 6339-40P
076-1037



Matsura G-Tech 30i



ACHTUNG
Tur nicht schliessen
sich jemand innerhalb
Sicherheitsbereichs anhat
entsprechenden Mechanismen
Blaum einschalten der
maschine darf sich
im arbeitsraum befinden

mullerMAC
BRUNNEN
21765
MATSUURA H. PLUS 300
076-1037

