



Inventory number: 21975

CNC turning lathe  
SCHAUBLIN 180 CCN R-T  
GE FANUC Series 18i  
2000



### Technical data

Centre height	275 mm
Distance between centres	600 mm
Swing over cross-slide	150 mm
Swing over bed	600 mm
Maximum turning length	630 mm
Bar passage	60 mm
Carriage:	
Longitudinal travel (Z-axis)	672 mm
Transversal stroke (X axis)	230 mm
Resolution	0.001 mm
Turret slide: number	
Number of positions turret 1	12
Fixed tools turret 1	12
Inner cone diameter	20 x 20 mm
Inner cone DIN	VDI 30
Taper in spindle:	
Camlock	A2-6
C axis (spindle,resolution)	0.001 °
Spindle speeds:	
stepless	
from	30 rpm
up to	4000 rpm
Internal spindle diameter	60 mm
Feeds	0 - 5000 mm/min
Rapid traverse X	8 m/min
Rapid traverse Y	10 m/min

Spindle motor	15 / 18.5 kW
Air connect	5 - 7 bar
Flow rate cooling water pump	10 l/min
Voltage 50 Hz 3x	400 Volt
Noise level	75 dB (A)
Total power required	24 kVA
Machine's weight about	2460 kg
Overall dimensions machine:	
Length	2301 mm
Width	1460 mm
Height	1676 mm
Various accessories:	
3-jaw chuck diameter	170 mm
3-jaw chuck diameter	200 mm
4-jaw chuck diameter	200 mm
Set of soft jaws	
Set of hard jaws	
Travelling steady	
Fixed steady	
Collet device	
Set of collets	B45
Lamp	
Starwheel-operated tailstock	
Tool cabinet	
Centering microscop	
Set of centers	
Rotary centre	
Interface serial port RS 232	
Foot pedal	
Set of tools	
Set of steel holders	
Toolholders	
Set of toolholders	

























