



Inventory number: 22054

Cylindrical grinder
STUDER S 20-OC



Technical data

| | |
|----------------------------------|-------------|
| Centre height | 80 mm |
| Distance between centres | 400 mm |
| grinding diameter | 80 mm |
| Grinding length | 400 mm |
| Grinding wheel: | |
| Diameter | 300 mm |
| Width | 30 mm |
| Bore | 127 mm |
| Workpiece weight on centres max. | 20 kg |
| Angular displacement | 30 ° |
| Work piece spindle head: | |
| speeds: | |
| stepless | |
| from | 60 rpm |
| up to | 1200 rpm |
| rotatable | 90 ° |
| Spindle taper | 2 MT |
| Taper in tailstock: | 2 MT |
| Table angular displacement | 30 ° |
| Table speed: | |
| stepless | |
| from | m/min |
| from | 100 mm/min |
| up to | 3500 mm/min |
| Voltage 50 Hz 3x | 380 Volt |
| External Grinding wheel motor | 4.5 HP |
| Machine's weight about | 1900 kg |

Overall dimensions machine:

| | |
|--------|---------|
| Length | 1500 mm |
| Width | 1400 mm |
| Height | 1600 mm |

Various accessories:

Redressing device

Coolant system

Tailstock with fine adjustment

Safety device









