



Inventory number: 22056

3-axis machining center
HAAS VF-4 SS
HAAS AUTOMATION
2015



Technical data

Number of axis simultaneous	3
Table length	1321 mm
Table width	457 mm
Number of T-channels	5
Distance of the T-slots	80 mm
T-channel width	16 mm
Table load max.	800 kg
Longitudinal travel (X-axis)	1270 mm
Transversal travel (y-axis)	508 mm
Vertical travel (z axis)	635 mm
Tool changer:	
Number of tools	30
Tool diameter max.	64 mm
Diameter with free adjacent pockets	127 mm
Tool lenght	330 mm
Max. tool-weight	5.4 kg
Time of tool changing	1.8 sec
Average chip-to-chip time	2.4 sec
Spindle nose: BT	40
Distance spindle nose to table	742 mm
Spindle speeds:	
stepless	
from	0 rpm
up to	12000 rpm
Rapid traverse:	35.6 m/min
Voltage 50 Hz 3x	400 Volt

Machine's weight about	6200 kg
Overall dimensions machine:	
Length	3300 mm
Width	2330 mm
Height	2570 mm
Various accessories:	
Vice	(4x)
Programmable and rotatable coolant nozzle	
Coolant system	
Additional coolant filter	
Coolant through spindle (cts)	21 bar
Oil mist lubrication unit	
Touch Probe Renishaw	
Chip conveyer	
Lamp	
Synchronized tapping	













