



Inventory number: 22323

Cylindrical grinder

KELLENBERGER UR 175 x 1500



Technical data

| | |
|-------------------------------|-----------|
| Centre height | 175 mm |
| Distance between centres | 1500 mm |
| grinding diameter | 340 mm |
| Grinding length | 1500 mm |
| Grinding wheel: | |
| Diameter | 400 mm |
| Width | 50 mm |
| Bore | 127.0 mm |
| Grinding wheel speeds: | |
| number (steps) | 4 |
| from | 1500 rpm |
| up to | 3600 rpm |
| Angular displacement | 270 ° |
| Work piece spindle head: | |
| speeds: | |
| stepless | |
| from | 20 rpm |
| up to | 400 rpm |
| rotatable | 360 ° |
| Spindle taper | 3 MT |
| Taper in tailstock: | 3 MT |
| Table angular displacement | 10 ° |
| Table speed: | |
| stepless | |
| up to | 6.0 m/min |
| Voltage 50 Hz 3x | 380 Volt |
| External Grinding wheel motor | 4.0 HP |
| Machine's weight about | 2200 kg |

Overall dimensions machine:

| | |
|--------|---------|
| Length | 3000 mm |
| Width | 1750 mm |
| Height | 1600 mm |

Various accessories:

Tailstock with fine adjustment

Internal grinding attachment

Redressing device

Lamp

Two-jaw steady rest

Three-jaw bezel folds open









