



Inventory number: 22324

Universal milling machine
REIDEN HF 300



Technical data

| | |
|---|-------------|
| Number of axis total | 3 |
| Table length | 1500 mm |
| Table width | 400 mm |
| Number of T-channels | |
| Longitudinal travel (X-axis) | 1100 mm |
| Transversal travel (y axis) | 300 mm |
| Travel of the upper slide | 300 mm |
| Distance from horizontal spindle to table | 470 mm |
| Spindle speeds: | |
| number (steps) | 18 |
| from | 30 rpm |
| up to | 1500 rpm |
| Taper in spindle | 50 ISO |
| Feeds steps: | 18 |
| longitudinal from | 19 mm/min |
| up to | 1000 mm/min |
| transversal from | 19 mm/min |
| up to | 1000 mm/min |
| vertical from | 19 mm/min |
| up to | 1000 mm/min |
| Rapid traverse: | |
| longitudinal | 2.7 m/min |
| transversal | 2.7 m/min |
| vertical | 0.9 m/min |

| | | | |
|---------------------------------|-------|----|----------|
| Voltage | 50 Hz | 3x | 380 Volt |
| Motor output | | | 15 HP |
| Total power required | | | 18 HP |
| Machine's weight about | | | 3000 kg |
| Overall dimensions machine: | | | |
| Length | | | 2200 mm |
| Width | | | 2000 mm |
| Height | | | 2000 mm |
| Various accessories: | | | |
| Digital readout number of axis: | | | 3 |





