



Inventory number: 22595

Centre lathe  
SCHAUBLIN 135




### Technical data

Centre height	135 mm
Distance between centres	630 mm
Swing over cross-slide	150 mm
Swing over bed	315 mm
Spindle hole	40 mm
Spindel nose for collets	B32
Travels:	
Taper in spindle:	
Camlock	
Spindle speeds:	
stepless	
from	55 rpm
up to	3000 rpm
Taper in tailstock:	3 MT
Feeds:	
number (steps)	24
length:	
from	0.015 mm/r
up to	0.35 mm/r
Frontal:	
from	0.015 mm/r
up to	0.35 mm/r
Voltage	50 Hz 3x 380 Volt

Spindle motor	4.00 HP
Total power required	6.00 HP
Machine's weight about	1400 kg
Overall dimensions machine:	
Length	1700 mm
Width	850 mm
Height	1280 mm
Various accessories:	
Digital readout number of axis:	2
3-jaw chuck diameter	150 mm
3-jaw chuck diameter	160 mm
Quick closing attachment	
Set of steel holders	
Set of collets	
Set of centers	
Drilling tailstock	
Chip protector	










Mod. ACU-RITE III MATR. R23120802358  
VENDITA E ASSIST. VISUALIZZATORI: RIGHE OTTICHE ENGELDER  
20611 L'Espresso 98 - Via Lumbarda, 23 40047 FERRARA 47114 Dolo - 13033  
Tel. 053 481711 - 053 481410 - Fax 053 480603

ZERO  
RESET



AUTO  
ENABLE



X

PRESET

7

8

9

4

5

6

1

2

3

CLEAR

0



ABS

INCR

+

INCH

mm

-

ZERO  
RESET



AUTO  
ENABLE



Y

PRESET

*ACU-RITE III*

POWER  
ON  
  
OFF





