



Inventory number: 22622

CNC automatic lathe / CNC Swiss type
lathe

TORNOS DECO 10A

FANUC PNC

2005



Technical data

Number of axis total	9
Number of spindles	2
Max. turning diameter	10 mm
Workpiece length max.	66 mm
Internal spindle diameter	10 mm
Spindle speeds:	
stepless	
from	100 rpm
up to	16000 rpm
C axis (spindle,resolution)	0.001 °
Back spindle:	
speeds:	
from	100 rpm
up to	12000 rpm
C axis (spindle,resolution)	0.001 °
Tool-holder:	
numbers	4
Number of stations	15
number of driven tools	3

Turning tools	5 pce
Transverse processing tools	3 pce
Spindle speeds (turning tools)	12000 rpm
Tool shank cross section	8 mm
Counter-operation:	
number of driven tools	4
Spindle speeds (turning tools)	12000 rpm
Voltage 50 Hz 3x	400 Volt
Spindle motor	3.7 kW
Power of back spindle	3.7 kW
Air connect	2 - 4 bar
Total power required	11 kVA
Machine's weight about	1500 kg
Overall dimensions machine:	
Length	1550 mm
Width	100 mm
Height	1900 mm
Various accessories:	
Bar feeder	
Manufacturer	LNS
Type	TRYTON
Parts catcher	
Dispositif de déchargement de pièces	
Lamp	
Oil mist extractor	ELBARON
Status light	





TORNOS



N° MACHINE	POSTE N°
D41	15840776
D42	15840772
D43	15840774
D44	2581414
D45	2582345
D46	2582350
D47	2582352
D48	2582351
D49	25822713
D50	25824031
D51	15840683
D52	15840777
D53	15840776
D54	15840776
D55	15840776
D56	15840776
D57	15840776
D58	15840776
D59	15840776
D60	15840776
D61	15840776
D62	15840776
D63	15840776
D64	15840776
D65	15840776
D66	15840776
D67	15840776
D68	15840776
D69	15840776
D70	15840776

1. Arrêtage maître
2. Pédalier nettoyage

TORNOS FANUC PNC DECO

REGLEGE (MINUTERIE) 000000000000

TOTAL DE PIECES - 0

PIECES REQUISES - 0

PIECES USINEES - 0

T. MISE S. TENSION- 00000H 24M

T. DE FONCT. MENT- 00010H 36M 39S

TEMPS DE TRAVAIL - 0H 0M 0S

COMPTEUR TEMPS - 0H 0M 0S

TEMPS DE CYCLE - 0H 0M 0S

DATE - 2024/01/25

HEURE - 10:13:23

JOG **** * S 0 T0000

COMP. [(REGLAG)]() [(OPRT)]

Emergency stop: ●


Function keys: F1, F2, F3, F4, F5


Rotary switches: V1, X10, X100, X1K

Control buttons: Stop, Feed, Rapid, Jog, etc.

Alphanumeric keypad: O, N, G, 7, 8, 9, X, Z, F, 4, 5, 6, M, S, T, 1, 2, 3, U, W, EOB, +, 0, ., /


Navigation keys: Home, Search, etc.














9 axes with end attachment and counter-spindle