



Inventory number: 22680

3-axis machining center
SPINNER VC-560
SPINNER-FANUC 21iMB
2006



Technical data

| | |
|-------------------------------------|---------------|
| Number of axis total | 3 |
| Table length | 650 mm |
| Table width | 410 mm |
| Number of T-channels | 3 |
| T-channel width | 14 mm |
| Table load max. | 250 kg |
| Longitudinal travel (X-axis) | 560 mm |
| Transversal travel (y-axis) | 410 mm |
| Vertical travel (z axis) | 410 mm |
| Tool magazine number of tool places | 24 |
| Tool diameter max. | 77 mm |
| Diameter with free adjacent pockets | 125 mm |
| Tool length | 200 mm |
| Max. tool-weight | 5 kg |
| Time of tool changing | 1.3 sec |
| Spindle nose SK | 40 DIN 69871A |
| Spindle speeds: | |
| stepless | |
| from | 0 rpm |

| | |
|-----------------------------|-----------|
| up to | 12000 rpm |
| Rapid traverse: | 48 m/min |
| Air connect | 6 bar |
| Voltage 50 Hz 3x | 400 Volt |
| Total power required | 20 kVA |
| Machine's weight about | 5500 kg |
| Overall dimensions machine: | |
| Length | 2400 mm |
| Width | 1800 mm |
| Height | 2500 mm |
| Space requirement env. | 4.32 m2 |
| Various accessories: | |
| Coolant system | 250 l |
| Oil mist extractor | |
| Status light | |







