



Inventory number: 22876

CNC automatic lathe / CNC Swiss type

lathe

CITIZEN CINCOM K 12 VIIP

FANUC

2007

### Technical data

Number of axis total	7
Number of spindles	2
Max. turning diameter	12 mm
Maximum turning length	200 mm
Max. drilling diameter	10 mm
Max. threading diameter	8 M (Metric)
Internal spindle diameter	20 mm
Spindle speeds:	
stepless	
from	200 rpm
up to	15000 rpm
Spindle positioning increment	15 °
Back spindle:	
speeds:	
from	200 rpm
up to	10000 rpm
Max. tapping length	80 mm
Spindle positioning increment	15 °
Thread drill diameter	5 M (Metric)
Tool-holder:	
Turning tools	6 pce
Drilling tools	4 pce
Transverse processing tools	4 pce
Spindle speeds (turning tools)	6000 rpm
Power of driven tools	0.4 kW
Counter-operation:	
Drilling tools	4 pce
Voltage 50 Hz 3x	400 Volt

Total power required	8 kVA
Machine's weight about	2050 kg
Overall dimensions machine:	
Length	1875 mm
Width	1125 mm
Height	1610 mm
Various accessories:	
Driven tools (number)	
Toolholders	
Bar feeder	
Manufacturer	LNS
Type	TRYTON 107
Parts catcher	
Lamp	
Coolant system	
Collet chuck	
Set of collets	
Interface serial port RS 232	
Status light	



























