




Inventory number: 22954

CNC Turning-Milling-Drilling Center  
SPINNER TTS 65 - TRIPLEX  
FANUC Series 31i-Model A  
2015



### Technical data

Number of axis total	9
Number of spindles	2
Number of revolvers	3
Travels:	
X1	180 mm
X2	180 mm
X3	180 mm
Z1	704 mm
Z3	704 mm
Y1	+/-45 mm
Y3	+/-45 mm
Turret slide:	3x
Number of positions	12
Driven tools turret	12
Spindle speeds	8000 rpm
Power of driven tools	11.4 / 2.3 kW
Torque max.	26 / 14 Nm
Spindle nose:	BMT 45
Main spindle:	
Taper in spindle	DIN A6
Collet bore	65 mm
Spindle speeds:	
stepless	
from	0 rpm
up to	5000 rpm
Spindle power	24 / 18 kW

Torque max.	151 / 115 Nm
Back spindle:	
max. speed	7000 rpm
Internal spindle diameter	42 mm
Power of back spindle	22 / 16.5 kW
Torque max.	128 / 100 Nm
Rapid traverse:	30 m/min
Air connect	6 bar
Voltage 50 Hz 3x	400 Volt
Total power required	60 kW
Machine's weight about	7500 kg
Overall dimensions machine:	
Length	2500 mm
Width	2300 mm
Height	2300 mm
Various accessories:	
Coolant system	200 l
Bar feeder	TOP
C axis	
Chip conveyor	
Switch cabinet Air conditioner	







