



Inventory number: 8534

Universal milling machine
SCHAUBLIN 213-P



Technical data

| | |
|------------------------------|-------------|
| Table length | 700 mm |
| Table width | 250 mm |
| Longitudinal travel (X-axis) | 320 mm |
| Transversal travel (y axis) | 220 mm |
| Vertical travel (z axis) | 410 mm |
| Spindle speeds: | |
| stepless | |
| from | 56 rpm |
| up to | 3150 rpm |
| Taper in spindle | 30 ISO |
| Feeds stepless: | |
| longitudinal from | 8 mm/min |
| up to | 1000 mm/min |
| transversal from | 8 mm/min |
| up to | 1000 mm/min |
| vertical from | 8 mm/min |

| | |
|---------------------------------|-------------|
| up to | 1000 mm/min |
| Vertical quill travel | 60 mm |
| Rapid traverse: | |
| longitudinal | 2 m/min |
| transversal | 2 m/min |
| vertical | 2 m/min |
| Voltage 50 Hz 3x | 380 Volt |
| Motor power | 1.8 kW |
| Total power required | 2.6 kW |
| Machine's weight about | 1000 kg |
| Overall dimensions machine: | |
| Length | 1800 mm |
| Width | 1200 mm |
| Height | 1500 mm |
| Various accessories: | |
| Digital readout number of axis: | 3 |
| Manufacturer | HEIDENHAIN |
| Coolant system | |
| Hydraulical tool tension | |
| Lamp | |







