MULLER MACHINES SA
BRÜGG/BIENNE

Industriestrasse 22
CH-2555 Bruegg

T +41 32 373 34 44
F +41 32 373 48 27

E sales@mullermachines.ch
W www.mullermachines.ch

Numero di inventario: 22624

Macchina per elettroerosione a filo
SODICK AP200L
2005



Dati technici

Dimensioni massimo del pezzo:	
Lunghezza	300 mm
Larghezza	270 mm
Altezza	100 mm
Corsa longitudinale (asse-X)	220 mm
Corsa trasversale (asse-Y	150 mm
Corsa verticale (asse Z)	120 mm
Corsa asse u/v	35 mm
Taglio conico +/-	7 °
Diametro filo dell'elettrodo:	
da	0.05 mm
fino	0.2 mm
Collegamento 50 Hz 3x	400 Volti
Peso della macchina circa	3200 kg
Dimensioni macchina:	
Lunghezza	2550 mm
Larghezza	2350 mm
Altezza	2220 mm



Sodick
LQ1W
OFF
SOURCE
ON
OFF
POWER
ON
AWT
TENSION
WIRE
RUN
STOP
HIGH PRESSURE
LOW PRESSURE
TANK FILL
TANK DRAIN
CLOSE
OPEN
TANK DOOR
A-0
A-1
A-2
A-3
A-4
A-5
A-6
A-7
MFR 0
MFR 1
MFR 2
MFR 3
OFF
ACK
HALT
ENT
ST
UV
X-
X+
Y-
Y+
Z-
Z+
U-
U+
V-
V+
Esc
F1
F2
F3
F4
F5
F6
F7
F8
F9
F10
F11
F12
Home
End
Page Up
Page Down
Tab
Caps Lock
Shift
Ctrl
Alt
Space
Del
Ins

AW.T
High Flushing Adjustment
Low Flushing Adjustment


AWT
High Flushing Adjustment
Low Flushing Adjustment
CAUTION!
PLEASE NOTE

AWT
High Flushing Adustment
Low Flushing Adustment
CAUTION!
PLEASE NOTE

AWT
High Flushing Adjustment
Low Flushing Adjustment
CAUTION!
PLEASE NOTE
DANGER





CX30 WATER
CX30 WATER

Attention
AUT



8213

GRUNDFOS




INLET
DRAIN
OUT
GRUNDFOS